

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent No.: 7,433,665
Issue Date: October 7, 2008
Inventor(s): Pierte Roo
Application No: 09/920,241
Filing Date: August 1, 2001
Title: APPARATUS AND METHOD FOR CONVERTING SINGLE-ENDED
SIGNALS TO A DIFFERENTIAL SIGNAL, AND TRANSCIVER
EMPLOYING SAME
Attorney Docket: MP0088

Commissioner for Patents
Certificate of Correction Branch
P.O. Box 1450
Alexandria, Virginia 22313-1450

REQUEST FOR CERTIFICATE OF CORRECTION

Sir:


We have reviewed the above referenced patent and have found errors which appear to require a Certificate of Correction.

Attached herewith is an original copy of the Patent and Trademark Office Certificate of Correction form which we request be approved for the above-indicated patent.

Please charge any underpayments or credit any over payment to Deposit Account No. 08-0750.

Respectfully submitted,

Dated: September 2, 2009
HARNESS, DICKEY & PIERCE, P.L.C.
P.O. Box 828
Bloomfield Hills, Michigan 48303
(248) 641-1600

By: 
Michael D. Wiggins
Reg. No. 34,754

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO : 7,433,665

APPLICATION NO: 09/920,241

DATED : October 7, 2008

INVENTOR(S) : Piete Roo

It is certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Page 4, Column 1, Line 11	Under "Foreign Patent Documents" delete duplicate reference "JP63-300700 - 12/1988"
Page 4, Column 2, Line 23	Under "Other Publications" delete duplicate reference "Nack, et al."
Page 5, Column 1, Line 52	Under "Other Publications" insert -- (1999) -- at the end of "Wang et al." reference
Page 6, Column 1, Line 16	Under "Other Publications" delete duplicate reference "Wu et al."
Page 6, Column 1, Line 26	Under "Other Publications" delete duplicate reference "Wang et al."
Page 6, Column 1, Line 28	Under "Other Publications" delete duplicate reference "Tsutomu Kamoto"
Page 6, Column 1, Line 37	Under "Other Publications" delete duplicate reference "Wilkner, et al."
Page 6, Column 1, Line 41	Under "Other Publications" delete duplicate reference "Niknejad et al."
Page 6, Column 1, Line 43	Under "Other Publications" delete duplicate reference "Gabara"
Page 6, Column 1, Line 45	Under "Other Publications" delete duplicate reference "Horowitz et al."
Page 6, Column 1, Line 47	Under "Other Publications" delete duplicate reference "Koullias et al."
Page 6, Column 1, Line 49	Under "Other Publications" delete duplicate reference "Kinget"
Page 6, Column 1, Line 61	Under "Other Publications" delete duplicate reference "I.E.E. Standard 802.3: Part 3..."

MAILING ADDRESS OF SENDER: Harness, Dickey & Pierce, P.L.C.
P.O. Box 828
Bloomfield Hills, Michigan 48303

PATENT NO. 7,433,665

No. of additional copies

0

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 7,433,665

APPLICATION NO: 09/920,241

DATED : October 7, 2008

INVENTOR(S) : Piete Roo

It is certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Page 6, Column 2, Line 13	Under "Other Publications" delete "Equalizer" and insert -- Equalizer --
Page 6, Column 2, Line 63	Under "Other Publications" delete "ob" and insert -- on --
Page 7, Column 2, Line 10	Under "Other Publications" delete "Amy" and insert -- May --
Page 7, Column 2, Line 33	Under "Other Publications" Linear Technology" reference, delete "1356" and insert -- 1359 --
Page 7, Column 2, Line 53	Under "Other Publications" delete duplicate reference "Stonick et al."
Column 1, Line 58	Delete "single-elided" and insert -- single-ended --
Column 4, Line 21	Delete "1000" and insert -- 100 --
Column 4, Line 26	Delete "aid" and insert -- and --
Column 5, Line 36	Delete "V _{TXR} " and insert -- V _{TX} --
Column 6, Line 4	Delete "aid" and insert -- and --
Column 6, Line 62	Delete "fast" and insert -- first --
Column 9, Line 31	Delete "fast" and insert -- first --
Column 14, Line 43	Delete "fast" and insert -- first --

MAILING ADDRESS OF SENDER: Harness, Dickey & Pierce, P.L.C.
P.O. Box 828
Bloomfield Hills, Michigan 48303

PATENT NO. 7,433,665

No. of additional copies

0

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.